



**NOTES**

1. THESE CHARTS ARE TO BE USED FOR STANDARD GCCC INLET GULLY DWG 05-03-001.
2. NO BLOCKAGE FACTOR HAS BEEN APPLIED TO THIS CHART. CAPTURE RESULTS IGNORE GRATE CAPTURE (REFER QUDM 5.10.2).
3. EXTRAPOLATION BEYOND THE LIMITS OF THE CHARTS SHOULD NOT BE UNDERTAKEN.
4. THE DATA IN THIS CHART WAS PRODUCED BY THE URBAN WATER RESOURCES CENTRE, UNIVERSITY OF SOUTH AUSTRALIA (REPORT JULY 2001).
5. THE RESULTS WERE OBTAINED USING A CHAMBER WATER LEVEL 150mm BELOW CHANNEL INVERT.



THIS DRAWING IS NOT TO BE AMENDED WITHOUT REFERENCE TO STANDARDS COMMITTEE				CONTROLLED DOCUMENT	DO NOT SCALE TAKE FIGURED DIMENSIONS ONLY
No.	AMENDMENT	APPROVED	DATE	ISSUED	DRAWN BY TECHNICAL SERVICES BRANCH
					PASSED <i>[Signature]</i> 18/03/04
					APPROVED <i>[Signature]</i> 18/03/04

**STANDARD DRAWING**  
**HYDRAULIC CAPTURE CHARTS**  
**ROLL TOP KERB AND CHANNEL**  
**SAG, ALL LINTELS**

MICROFILMED  
 STANDARD DRAWING No.  
**05-03-604**  
 ISSUE  
 2005 EDITION