


## TYPICAL SECTION

### NOTES:

1. GATE & END POSTS TO BE 65 x 65 x 2 GALVANISED R.H.S. (REFER AS1163)
2. INTERMEDIATE POSTS TO BE 50 x 50 x 2 GALVANISED R.H.S. (REFER AS1163)
3. PANELS TO BE FIXED TO POSTS IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATION.
4. WELDED MESH PANELS TO BE ARC "WATTLE" OR EQUIVALENT, MANUFACTURED IN ACCORDANCE WITH AS 3902.
5. ALL GALVANISING TO BE IN ACCORDANCE WITH AS/NZS 4680.
6. COLOURED POWDER COATING MAY BE USED SUBJECT TO COUNCIL APPROVAL.
7. 1270 HIGH x 3000 LONG PANELS MAY BE USED SUBJECT TO COUNCIL APPROVAL.
8. POSTS TO BE SET VERTICALLY IN CONCRETE GRADE N25.
9. RAKED PANELS ARE AVAILABLE FOR SLOPES UP TO 15° (1 IN 4).
10. NUTS TO BE SPOT WELDED TO BOLTS AND COLD GALVANISED AS AN ANTI-THEFT DETERRANT.
11. THESE FENCES ARE INTENDED AS A PEDESTRIAN BARRIER AND ARE NOT TO BE USED IN SITUATIONS WHERE MOTOR VEHICLES REQUIRE RESTRAINT.
12. USE PAN-HEAD SECURITY TEK-SCREWS (14-10 x 25G 410 PSECTEK).
13. DIMENSIONS ARE IN MILLIMETRES UNLESS SHOWN OTHERWISE.



**Gold Coast City Council**

GOLD COAST CITY COUNCIL  
PO BOX 5042  
GOLD COAST MC 9729

THIS DRAWING IS NOT TO BE AMENDED WITHOUT  
REFERENCE TO STANDARDS COMMITTEE

CONTROLLED  
DOCUMENT

DO NOT SCALE  
TAKE FIGURED DIMENSIONS ONLY

**STANDARD DRAWING**

MICROFILMED

DRAFTING BY  
**TECHNICAL SERVICES BRANCH**

PASSED - COORDINATOR OPEN SPACE ASSETS

SIGNED: CAMERON TAYLOR DATE: 6/12/12

APPROVED - MANAGER PARKS & RECREATIONAL SERVICES

SIGNED: RON JACOBS DATE: 6/12/12

**PEDESTRIAN BARRIER  
GALVANISED WELDED POOL FENCING**

STANDARD  
DRAWING No.

**13-05-614**

ISSUE

**2013 EDITION**

No.	AMENDMENT	APPROVED	DATE	ISSUED