



LOCATE MARKER DISCS DIRECTLY OVER SERVICE CONDUITS.



LOCATION OF MARKERS



SECTION A-A



PLAN


SERVICE MARKERS

- W ... WATER SERVICE
- WM.. WATER MAIN
- E ... ELECTRICAL SERVICE
- T ... TELECOMMUNICATION SERVICE
- I ... IRRIGATION SERVICE
- G ... GAS
- S ... SEWERAGE MAIN


TYPICAL BRASS SERVICE MARKER DISCS

NOTES:

1. WATER SERVICE CONDUITS ARE TO BE uPVC CLASS PN12 AS FOLLOWS:
 - (a) ϕ 100 FOR RESIDENTIAL PRECINCTS AND
 - (b) ϕ 150 FOR INDUSTRIAL AND COMMERCIAL PRECINCTS.
 LOCATIONS SHALL BE AS SHOWN ON THE APPROVED ENGINEERING DRAWINGS AND AS SPECIFIED IN COUNCIL'S STANDARD SPECIFICATION SS2. TEMPORARY POLYSTYRENE OR EQUIVALENT PLUGS OR STOPS ARE TO BE INSERTED AT THE ENDS OF CONDUITS.
2. ELECTRICAL RETICULATION SERVICE CONDUITS ARE TO BE PROVIDED AND INSTALLED IN THE LOCATIONS SHOWN ON THE APPROVED ELECTRICAL RETICULATION DRAWINGS IN ACCORDANCE WITH ENERGEX SPECIFICATION-U.R.D.
3. TELECOMMUNICATION SERVICE CONDUITS ARE TO BE PROVIDED AND INSTALLED IN APPROVED U.R.D. JOINT USE TRENCHES IN ACCORDANCE WITH THE REQUIREMENTS OF TELSTRA.
4. GAS RETICULATION SERVICE CONDUITS ARE TO BE PROVIDED AND INSTALLED IN THE LOCATIONS SHOWN ON THE APPROVED GAS RETICULATION DRAWINGS.
5. THE LOCATION OF ALL UTILITY SERVICE CONDUITS IS TO BE INDICATED BY BRASS SERVICE CONDUIT MARKER DISCS (AS DETAILED) POSITIONED IN THE KERB & CHANNEL DIRECTLY ABOVE THE CONDUIT.
6. DIMENSIONS ARE IN MILLIMETRES UNLESS SHOWN OTHERWISE.



TYPICAL CROSS SECTION SERVICE CONDUIT



TYPICAL SECTION B-B SERVICE CONDUIT

<p>Gold Coast City Council GOLD COAST CITY COUNCIL PO BOX 5042 GOLD COAST MC 9729</p>	THIS DRAWING IS NOT TO BE AMENDED WITHOUT REFERENCE TO STANDARDS COMMITTEE				CONTROLLED DOCUMENT	DO NOT SCALE TAKE FIGURED DIMENSIONS ONLY	STANDARD DRAWING	MICROFILMED
	No.	AMENDMENT	APPROVED	DATE	ISSUED	DRAWN BY TECHNICAL SERVICES BRANCH		NEW ROADS SERVICE CONDUIT CROSSINGS
						PASSED <i>[Signature]</i> 18/03/04	ISSUE	
						APPROVED <i>[Signature]</i> 19/03/04	2005 EDITION	