


PLAN

NOTES:

1. A SITE ASSESSMENT (BY A COUNCIL REPRESENTATIVE) IS TO OCCUR UPON APPLICATION FOR A PIPE CROSSING. **PIPE CROSSINGS ARE NOT TO BE INSTALLED ON ROAD VERGES** THAT FALL TO THE SUBJECT PROPERTY WHERE STORM WATER CANNOT BE DIRECTED TO A NATURAL WATER COURSE OR DRAINAGE EASEMENT OR **WHEN THERE IS NO UPSTREAM STORMWATER CATCHMENT OR V-DRAIN.**
2. PERMITS RELATING TO ROADS AND FOOTPATHS MUST BE OBTAINED FROM COUNCIL, SPECIFYING CROSSING TYPE, LOCATION, LEVELS, SURFACE FINISHES AND DIMENSIONS, PRIOR TO ANY EXCAVATION.
3. PROVIDE ROCK, CONCRETE OR STABILISED TURF PROTECTION TO TABLE DRAINS AND OUTLETS WHERE PRONE TO SCOUR.
4. MINIMUM GRADE THROUGH PIPE TO BE 1.0%.
5. ROAD EDGE GUIDE POSTS TO BE LOCATED AT PIPE ENDS IN ACCORDANCE WITH G.C.C.C. STD. DWG. No. 05-02-502.
6. TYPE AND CLASS OF PIPE TO BE IN ACCORDANCE WITH THE CURRENT AUSTRALIAN STANDARDS. FOR DETAILS REFER TO COUNCIL STANDARD SPECIFICATION SS5.
7. HYDRAULIC CAPACITY OF PIPE AND ACCESS TO MATCH THE CAPACITY OF THE TABLE DRAIN. THIS MAY REQUIRE THE USE OF MULTIPLE PIPES.
8. PIPE INVERTS TO MATCH TABLE DRAIN INVERTS.
9. FOR WATER SENSITIVE URBAN DESIGN VERGES, THE PROFILE OF THE VEHICULAR CROSSING IS TO FOLLOW THE EXISTING VERGE PROFILE.
10. DIMENSIONS ARE IN METRES UNLESS SHOWN OTHERWISE.



END ELEVATION



Gold Coast City Council

PO BOX 5042
GOLD COAST MC 9729

THIS DRAWING IS NOT TO BE AMENDED WITHOUT REFERENCE TO STANDARDS COMMITTEE				CONTROLLED DOCUMENT	DO NOT SCALE TAKE FIGURED DIMENSIONS ONLY	STANDARD DRAWING	MICROFILMED
No.	AMENDMENT	APPROVED	DATE	ISSUED	DRAWN BY TECHNICAL SERVICES BRANCH	RURAL ACCESS AND PIPE CROSSING FOR TABLE DRAINS	STANDARD DRAWING No. 05-02-604
					PASSED <i>[Signature]</i> 18/03/04		ISSUE
					APPROVED <i>[Signature]</i> 19/03/04		2005 EDITION

